# Estudio internacional de extensión del tratamiento en participantes adultos con mieloma múltiple que han obtenido un beneficio clínico de isatuximab

| | | |
|---|---|---|
| **Estado** | **Tipo de Participantes** | **Rangos de Edad** |
| Fin Reclutamiento | No aportado | Mayores de 64 , Adultos (18-64 años) |
| **Género** | **Fases** | **Participantes esperados** |
| Ambos | Fase II | 29 |
| **Resultados** | **Bajo nivel intervención** | **Enfermedad rara** |
| Sin resultados | No | Si |
| **Cobertura geográfica** | **Ámbitos del ensayo** | **Terapia avanzada** |
| Sin determinar | seguridad | NO |

## Información

### Identificador
2023-507180-19-00 (CTIS)

### Cod. Protocolo
LTS17704

Transicionado 2022-002253-26

### Área terapéutica
Enfermedades [C] - Cáncer [C04]|

### Enfermedad investigada
Cáncer

### Título Científico
Estudio internacional, multicéntrico, abierto, de extensión del tratamiento en pacientes con mieloma múltiple que siguen beneficiándose de un tratamiento basado en isatuximab tras la finalización de un

estudio original en fase I, II o III

## Justificación

No aportado

## Objetivo Principal

Evaluar la seguridad a largo plazo de isatuximab administrado como monoterapia o en pautas posológicas combinadas en pacientes previamente tratados con isatuximab

## Variables de Evaluación Primaria

Número de participantes con acontecimientos adversos surgidos durante el tratamient

## Momentos temporales de evaluación primaria

No aportado

## Objetivo Secundario

No aportado

## Variables de Evaluación Secundaria

No aportado

## Momentos temporales de evaluación secundaria

No aportado

## Criterios de Inclusión

El participante debe tener ¿18 años (o la edad legal de consentimiento en la jurisdicción donde se esté llevando a cabo el estudio) en el momento de firmar el consentimiento informado.
Participantes de un estudio clínico original en fase I, II o III que evalúa isatuximab como monoterapia o en una pauta posológica combinada con todos los objetivos del

estudio completados.
Participantes que sigan recibiendo isatuximab en el momento del cierre del estudio original, que sigan beneficiándose de isatuximab en monoterapia o en combinación, según lo determine el médico responsable del tratamiento, y que cumplan los criterios para iniciar un ciclo de tratamiento posterior como se describe en el protocolo del estudio original. También se podrá incluir a un partícipe que no reciba isatuximab al final del estudio original y que no tenga acceso localmente al tratamiento en curso.
Participantes del género masculino y femenino que utilicen anticonceptivos (métodos anticonceptivos dobles); participantes del género femenino que no estén embarazadas ni en periodo de lactancia; participantes del género masculino que no donen esperma.
Capacidad para otorgar el consentimiento informado firmado

## Criterios de Exclusión

El participante tiene indicios de progresión de la enfermedad durante o en el momento del cierre del estudio original.
El participante no se ha recuperado a grado ¿2 de AA no hematológicos (según los CTCAE del NCI v5.0) relacionados con cualquier tratamiento antineoplásico recibido antes de firmar el consentimiento informado para el estudio de extensión.
Como última línea de tratamiento, el participante recibió un tratamiento antimieloma distinto del tratamiento basado en isatuximab en el estudio original antes del primer MI de este estudio.
Personas ingresadas en una institución por mandato judicial o legal; presos o participantes institucionalizados legalmente.
Paciente no apto para participar, independientemente del motivo, según lo juzgue el investigador, incluso por afecciones médicas o clínicas, o pacientes que podrían estar en riesgo de incumplimiento de los procedimientos del estudio.
Participantes que son empleados del centro del estudio clínico o cualquier otra persona que intervenga de manera directa en la realización del estudio o que sean familiares directos de dichas personas.
Cualquier normativa específica del país que impida que el participante entre en el estudio

# Calendario

(Última actualización: 08/09/2026)

| Autorización | Inicio de Ensayo | Inclusión Primer Paciente | Interrumpido | Reiniciado |
|---|---|---|---|---|
| 30/03/2023 | 19/05/2023 | 08/06/2023 | No aportado | No aportado |

| Fin de reclutamiento | Fin prematuro (España) | Fin prematuro (Global) | Fin del ensayo en España | Fin del ensayo global |
|---|---|---|---|---|
| 03/01/2025 | No aportado | No aportado | No aportado | No aportado |

# Promotor

### Sanofi-Aventis Recherche & Developpement France

**82 Avenue Raspail**

**Contact Person**

Clinical Sciences and Operations

**8006331610**

**contact-us@sanofi.com**

**Monetary support: N/A**

**Tipo de promotor: Comercial**

# Ceim

### CEIm de la Comunidad Foral de Navarra

**C/ Irunlarrea, 3 31008 Pamplona**

**ceic@cfnavarra.es**

# Centros

Activo (19/06/2023)

**CLINICA UNIVERSIDAD DE NAVARRA**

Pamplona/Iruña

NAVARRA

Activo (19/06/2023)

**Clinica Universidad De Navarra**

Madrid

MADRID

Servicio de Hematologia

Activo (13/06/2023)

**HOSPITAL CLINICO UNIVERSITARIO DE SALAMANCA (COMPLEJO ASIST. UNIVERSIT.SA)**

Salamanca

SALAMANCA

Activo (19/11/2024)

**Hospital Germans Trias I Pujol**

Badalona

BARCELONA

Clinical Hematology department

No iniciado (--/--/----)

**Hospital Universitario De Salamanca**

Salamanca

SALAMANCA

Servicio de Hematologia

Activo (19/05/2023)

**HOSPITAL UNIVERSITARIO MARQUES DE VALDECILLA**

Santander

CANTABRIA

Activo (20/06/2023)

**HOSPITAL UNIVERSITARIO 12 DE OCTUBRE**

Madrid

MADRID

No iniciado (--/--/----)

**Institut Catala D´oncologia**

Badalona

BARCELONA

Clinical Hematology department

Activo (20/11/2024)

**University Hospital Virgen Del Rocio S.L.**

Sevilla

SEVILLA

Hematology department

# Medicamentos

### Revlimid 25 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

### DexaGalen® 8 mg injekt Injektionslösung
SOLUTION FOR INJECTION
IV INFUSION

Código ATC: H02AB02 - DEXAMETASONA
Principios Activos: N/A

Experimental

### JAMP Pomalidomide
CAPSULE
ORAL

-
Principios Activos: N/A

Huérfano

Experimental

### Zelvina 15 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

### Pomalidomide Adalvo 4 mg hard capsules
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A

Huérfano

Experimental

### Revlimid 15 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

### Revlimid 10 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

### SARCLISA 20mg/mL concentrate for solution for infusion.
SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

Código ATC: L01FC02 - ISATUXIMAB
Principios Activos: N/A

Experimental

**Zelvina 10 mg hard capsules**
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

**-**
-
ORAL

Código ATC: N02BE01 - PARACETAMOL
Principios Activos: N/A

Experimental

**Revlimid 5 mg hard capsules**
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

**Revlimid 5 mg hard capsules**
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

**Dexamethason 4 mg JENAPHARM®**
TABLET
ORAL

Código ATC: H02AB02 - DEXAMETASONA
Principios Activos: N/A

Experimental

**Pomalidomide Adalvo 2 mg hard capsules**
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A

Huérfano

Experimental

**LIBTAYO 350 mg concentrate for solution for infusion.**
CONCENTRATE FOR SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

**-**
-
INTRAVENOUS

Código ATC: L01XC33 - CEMIPLIMAB
Principios Activos: N/A

Experimental

Código ATC: R06AA02 - DIFENHIDRAMINA
Principios Activos: N/A

Experimental

## Revlimid 15 mg hard capsules

CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

## Revlimid 20 mg hard capsules

CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A

Experimental

## SARCLISA 20mg/mL concentrate for solution for infusion.

SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

Código ATC: L01FC02 - ISATUXIMAB
Principios Activos: N/A

Experimental

## JAMP Pomalidomide

CAPSULE
ORAL

-

Principios Activos: N/A

Huérfano

Experimental

## Pomalidomide Adalvo 1 mg hard capsules

CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A

Huérfano

Experimental

## DEXAMETHASONE BASE

SOLUTION FOR INJECTION
INTRAVENOUS INJECTION

-

Principios Activos: N/A

Experimental

## Imnovid 3 mg hard capsules

CAPSULE, HARD
ORAL

## Revlimid 10 mg hard capsules

CAPSULE, HARD
ORAL USE

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A
Experimental

### JAMP Pomalidomide
CAPSULE
ORAL

-
Principios Activos: N/A
Huérfano Experimental

### Zelvina 20 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A
Experimental

### Zelvina 25 mg hard capsules
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A
Experimental

### Imnovid 4 mg hard capsules
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

### Imnovid 2 mg hard capsules
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

### Imnovid 4 mg hard capsules
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

### Kyprolis 60 mg powder for solution for infusion
SOLUTION FOR INFUSION
IV INFUSION

### Isatuximab
SOLUTION FOR INJECTION
SUBCUTANEOUS INJECTION

Código ATC: L01XG02 - CARFILZOMIB
Principios Activos: N/A
Huérfano Experimental

-
Principios Activos: N/A
Experimental

**Imnovid 3 mg hard capsules**
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

**Imnovid 1 mg hard capsules**
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

**Imnovid 1 mg hard capsules**
CAPSULE, HARD
ORAL

Código ATC: L04AX06 - POMALIDOMIDA
Principios Activos: N/A
Huérfano Experimental

**Revlimid 25 mg hard capsules**
CAPSULE, HARD
ORAL USE

Código ATC: L04AX04 - LENALIDOMIDA
Principios Activos: N/A
Experimental

**-**
-
INTRAVENOUS

Código ATC: H02AB04 - METILPREDNISOLONA
Principios Activos: N/A
Experimental

**-**
-
ORAL

Código ATC: R03DC03 - MONTELUKAST
Principios Activos: N/A
Experimental

**Zelvina 5 mg hard capsules**
CAPSULE, HARD
ORAL USE

**Pomalidomide Adalvo 3 mg hard capsules**
CAPSULE, HARD
ORAL

**Código ATC: L04AX04 - LENALIDOMIDA**
**Principios Activos: N/A**

**Experimental**

**Código ATC: L04AX06 - POMALIDOMIDA**
**Principios Activos: N/A**

**Huérfano** **Experimental**

### Imnovid 2 mg hard capsules

**CAPSULE, HARD**
**ORAL**

**Código ATC: L04AX06 - POMALIDOMIDA**
**Principios Activos: N/A**

**Huérfano** **Experimental**

### Dexamethason 8 mg JENAPHARM®

**TABLET**
**ORAL**

**Código ATC: H02AB02 - DEXAMETASONA**
**Principios Activos: N/A**

**Experimental**

### Revlimid 20 mg hard capsules

**CAPSULE, HARD**
**ORAL USE**

**Código ATC: L04AX04 - LENALIDOMIDA**
**Principios Activos: N/A**

**Experimental**

### SARCLISA 20mg/mL concentrate for solution for infusion.

**SOLUTION FOR INFUSION**
**INTRAVENIOUS INFUSION**

**Código ATC: L01FC02 - ISATUXIMAB**
**Principios Activos: N/A**

**Experimental**

### JAMP Pomalidomide

**CAPSULE**
**ORAL**

-

**Principios Activos: N/A**

**Huérfano** **Experimental**

# Sin resultados

# International treatment-extension study in adult participants with multiple myeloma and who have derived clinical benefit from isatuximab

| State | Type of participants | Age Ranges |
|---|---|---|
| End of recruitment | Not provided | Older than 64 , Adults (18-64 years) |
| **Gender** | **Phases** | **Expected Participants** |
| Both | Phase II | 29 |
| **Results** | **Low level of intervention** | **Rare disease** |
| No results | No | Yes |
| **Geographic coverage** | **Areas of the study** | **Advanced therapy** |
| Undetermined | safety | NO |

## Information

### Identifier
2023-507180-19-00 (CTIS)

### Protocol Code
LTS17704

Transitioned 2022-002253-26

### Therapeutic area
Diseases [C] - Cancer [C04]|

### Investigated Disease
Cancer

### Scientific Title
International, multi-center, open-label, treatment extension study in patients with multiple myeloma who are still benefitting from isatuximab-based therapy following completion of a Phase 1, 2, or 3 parental study

## Rationale

Not provided

## Main Objective

To assess the long-term safety of isatuximab administered as monotherapy or in combination regimens in participants previously treated with isatuximab

## Primary Endpoints

Number of participants with treatment-emergent adverse events

## Temporary moments of secondary assessment

Not provided

## Secondary Objective

Not provided

## Secondary Endpoints

Not provided

## Temporary moments of secondary assessment

Not provided

## Inclusion criteria

- Participant must be 18 years of age (or the legal age of consent in the jurisdiction in which the study is taking place), at the time of signing the informed consent.
- Participants of a parental Phase 1, 2, or 3 clinical study assessing isatuximab monotherapy or in a combination regimen with all the study objectives completed.
- Participants still receiving isatuximab at the time of the parental study closure, who are continuing to benefit from isatuximab as monotherapy or in combination, as determined by the treating physician, and who meet the criteria to initiate a subsequent cycle of therapy as described in the parental study protocol. A participant not receiving isatuximab at the end of the parental study who does not have access locally to the ongoing treatment may also be included.

- Contraception (with double contraception methods) for male and female participants; not pregnant or breastfeeding for female participants; no sperm donation for male participants.
- Capable of giving signed informed consent.

## Exclusion criteria

- Participant has evidence of progressive disease during or at the time of the parental study closure.
- Participant has not recovered to Grade 2 from non-hematologic AEs (as per NCI CTCAE v5.0) related to any anticancer therapy received prior to signing informed consent on the extension study.
- As the latest line of treatment participant received an antimyeloma therapy other than the isatuximab-based therapy in the parental study before the first IMP in this study.
- Individuals accommodated in an institution because of regulatory or legal order; prisoners or participants who are legally institutionalized.
- Participant not suitable for participation, whatever the reason, as judged by the Investigator, including medical or clinical conditions, or participants potentially at risk of noncompliance to study procedures.
- Participants are employees of the clinical study site or other individuals directly involved in the conduct of the study, or immediate family members of such individuals
- Any country-related specific regulation that would prevent the participant from entering the study.

# Calendar

(Last Update: 08/09/2026)

| Authorization | Start of Trial | First patient inclusion | Halted | Restarted |
|---|---|---|---|---|
| 30/03/2023 | 19/05/2023 | 08/06/2023 | Not aported | Not aported |

| End of recruitment | Premature end (Spain) | Premature End (Global) | Trial end (Spain) | Trial end (Global) |
|---|---|---|---|---|
| 03/01/2025 | Not aported | Not aported | Not aported | Not aported |

# Sponsor

**Sanofi-Aventis Recherche & Developpement France**

**82 Avenue Raspail**

**Contact Person**

Clinical Sciences and Operations

**8006331610**

**contact-us@sanofi.com**

**Monetary support: N/A**

**Sponsor type: Commercial**

# Ceim

**CEIm de la Comunidad Foral de Navarra**

**C/ Irunlarrea, 3 31008 Pamplona**

**ceic@cfnavarra.es**

# Sites

Active (19/06/2023)

**CLINICA UNIVERSIDAD DE NAVARRA**

Pamplona/Iruña

NAVARRA

Active (19/06/2023)

**Clinica Universidad De Navarra**

Madrid

MADRID

Servicio de Hematologia

Active (13/06/2023)

**HOSPITAL CLINICO UNIVERSITARIO DE SALAMANCA (COMPLEJO ASIST. UNIVERSIT.SA)**

Salamanca

SALAMANCA

Active (19/11/2024)

**Hospital Germans Trias I Pujol**

Badalona

BARCELONA

Clinical Hematology department

not initialized (--/--/----)

**Hospital Universitario De Salamanca**

Salamanca

SALAMANCA

Servicio de Hematologia

Active (19/05/2023)

**HOSPITAL UNIVERSITARIO MARQUES DE VALDECILLA**

Santander

CANTABRIA

Active (20/06/2023)

**HOSPITAL UNIVERSITARIO 12 DE OCTUBRE**

Madrid

MADRID

not initialized (--/--/----)

**Institut Catala D´oncologia**

Badalona

BARCELONA

Clinical Hematology department

Active (20/11/2024)

**University Hospital Virgen Del Rocio S.L.**

Sevilla

SEVILLA

Hematology department

# Medication

### Revlimid 25 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

### DexaGalen® 8 mg injekt Injektionslösung
SOLUTION FOR INJECTION
IV INFUSION

ATC code: H02AB02 - DEXAMETASONA
Active Principles: N/A

Experimental

### JAMP Pomalidomide
CAPSULE
ORAL

-
Active Principles: N/A

Orphan
Experimental

### Zelvina 15 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

### Pomalidomide Adalvo 4 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A

Orphan
Experimental

### Revlimid 15 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

### Revlimid 10 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

### SARCLISA 20mg/mL concentrate for solution for infusion.
SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

ATC code: L01FC02 - ISATUXIMAB
Active Principles: N/A

Experimental

**Zelvina 10 mg hard capsules**
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

**-**
-
ORAL

ATC code: N02BE01 - PARACETAMOL
Active Principles: N/A

Experimental

**Revlimid 5 mg hard capsules**
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

**Revlimid 5 mg hard capsules**
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A

Experimental

**Dexamethason 4 mg JENAPHARM®**
TABLET
ORAL

ATC code: H02AB02 - DEXAMETASONA
Active Principles: N/A

Experimental

**Pomalidomide Adalvo 2 mg hard capsules**
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A

Orphan

Experimental

**LIBTAYO 350 mg concentrate for solution for infusion.**
CONCENTRATE FOR SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

**-**
-
INTRAVENOUS

ATC code: L01XC33 - CEMIPLIMAB
Active Principles: N/A
Experimental

ATC code: R06AA02 - DIFENHIDRAMINA
Active Principles: N/A
Experimental

## Revlimid 15 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

## Revlimid 20 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

## SARCLISA 20mg/mL concentrate for solution for infusion.
SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

ATC code: L01FC02 - ISATUXIMAB
Active Principles: N/A
Experimental

## JAMP Pomalidomide
CAPSULE
ORAL

-
Active Principles: N/A
Orphan
Experimental

## Pomalidomide Adalvo 1 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan
Experimental

## DEXAMETHASONE BASE
SOLUTION FOR INJECTION
INTRAVENOUS INJECTION

-
Active Principles: N/A
Experimental

## Imnovid 3 mg hard capsules
CAPSULE, HARD
ORAL

## Revlimid 10 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

## JAMP Pomalidomide
CAPSULE
ORAL

-
Active Principles: N/A
Orphan Experimental

## Zelvina 20 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

## Zelvina 25 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

## Imnovid 4 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

## Imnovid 2 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

## Imnovid 4 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

## Kyprolis 60 mg powder for solution for infusion
SOLUTION FOR INFUSION
IV INFUSION

## Isatuximab
SOLUTION FOR INJECTION
SUBCUTANEOUS INJECTION

ATC code: L01XG02 - CARFILZOMIB
Active Principles: N/A
Orphan Experimental

-
Active Principles: N/A
Experimental

### Imnovid 3 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

### Imnovid 1 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

### Imnovid 1 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

### Revlimid 25 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

### -
-
INTRAVENOUS

ATC code: H02AB04 - METILPREDNISOLONA
Active Principles: N/A
Experimental

### -
-
ORAL

ATC code: R03DC03 - MONTELUKAST
Active Principles: N/A
Experimental

### Zelvina 5 mg hard capsules
CAPSULE, HARD
ORAL USE

### Pomalidomide Adalvo 3 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

### Imnovid 2 mg hard capsules
CAPSULE, HARD
ORAL

ATC code: L04AX06 - POMALIDOMIDA
Active Principles: N/A
Orphan Experimental

### Dexamethason 8 mg JENAPHARM®
TABLET
ORAL

ATC code: H02AB02 - DEXAMETASONA
Active Principles: N/A
Experimental

### Revlimid 20 mg hard capsules
CAPSULE, HARD
ORAL USE

ATC code: L04AX04 - LENALIDOMIDA
Active Principles: N/A
Experimental

### SARCLISA 20mg/mL concentrate for solution for infusion.
SOLUTION FOR INFUSION
INTRAVENIOUS INFUSION

ATC code: L01FC02 - ISATUXIMAB
Active Principles: N/A
Experimental

### JAMP Pomalidomide
CAPSULE
ORAL

-
Active Principles: N/A
Orphan Experimental

# No results